

SAFETY DATA SHEET

Section 1. Product Identification

Gypsum & Anhydrite Rock. Product identifier

Other means of identification

SDS number ACG 2006

Additional Products 1/4" Minus Ag Fines, 1/8" Ag Fines, Retarder Rock

Synonyms Calcium Sulfate

Agricultural and Industrial Use. Recommended use

Recommended Restrictions Use in accordance with manufacturer's recommendations.

Manufacturer/Importer/Supplier/Distributor information Company name Arcosa Specialty Materials

Address 1550 Double Drive Norman, OK 73069

1-800-624-5963 **Telephone**

www.ArcosaSpecialtyMaterials.com Website

Emergency phone number 1-800-624-5963

Section 2. Hazard(s) Identification

Emergency Overview This product is not flammable, combustible, or explosive. It does not cause burns or severe skin or

eye irritation. A single exposure will not result in serious adverse health effect. Prolonged contact with the product may result in abrasions to the skin or irritation of the eyes. Prolonged inhalation of

the dust may irritate the respiratory tract.

Physical hazards Not classified Health Hazards Not classified

Acute:

May cause mechanical irritation of eyes. If burning, redness, itching, pain or other symptoms persist Eyes

or develop, consult physician. Eye irritation Category 2, subcategory 2B.

Prolonged contact with the skin may cause irritation. Rubbing of this product against the skin can Skin result in abrasion. Rinse with water until free of material to avoid abrasion, wash skin thoroughly with

mild soap and water. May dry skin. Mild skin irritation Category B.

Inhalation of dusts from this product may irritate the nose, throat, lungs, and upper respiratory tract.

Persons exposed to large amounts of this dust may be forced to leave area because of nuisance conditions such as coughing, sneezing, ad nasal irritation. Labored breathing may occur after

excessive inhalation. If respiratory symptoms persist, consult physician.

Chronic:

Gypsum & Anhydrite Rock display no specific toxic properties. Prolonged and repeated exposure to Inhalation

respirable crystalline silica can result in lung disease (i.e. silicosis) and lung cancer. Silicosis increases the risk of tuberculosis. Studies have shown various autoimmune and chronic kidney diseases in workers exposed to respirable crystalline silica. Some studies show and increased

incidence of chronic bronchitis and emphysema in workers exposed to crystalline silica.

Not Classified **Environmental hazards OSHA** defined hazards Not Classified

Label elements

Signal word

Hazard statement Causes eye and skin irritation. May cause allergy or asthma symptoms or breathing difficulties if

Precautionary statement

SDS ID: ACG 2006 Revision date: 2/13/25 Page 1 of 5



Prevention Wash hands thoroughly after handling. Wear protective gloves. Avoid breathing dust. Wear

respiratory protection.

Response If eye irritation persists, if skin irritation occurs, or if experiencing respiratory symptoms: Get medical

advice/attention.

Storage Store as indicated in Section 7.

Disposal Dispose of in accordance with local, state, and federal regulations.

Hazard(s) not otherwise classified (HNOC) None known.

Section 3. Composition/Information on Ingredients			
Mixtures			
Chemical name	CAS number	%	
Calcium Sulfate Dihydrate, Calcium Sulfate Anhydrite	13397-24-5	>90	
or Dihydrate.Anhydrite blend			
Silicon Dioxide (Crystalline Silica)	14808-60-7	< 0.025	
Limestone	1317-65-3	<2	

Composition comments

All concentrations are in percent by weight unless ingredient is a gas.

Section 4. First-Aid Measures	
Eye contact	If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Skin	If on skin: Wash with plenty of water/mild soap and water. Specific treatment: see supplemental first
	aid instruction on label. If skin irritation occurs: Get medical advice/attention. Take off contaminated
	clothing and wash it before reuse.
Inhalation	If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If
	experiencing respiratory symptoms: Call a doctor.
Ingestion	May cause temporary irritation of throat and stomach and gastrointestinal tract.
Most Important	Under normal conditions of intended use, this product is not expected to be a health risk. Dust may
symptoms/effects, acute and	irritate throat and respiratory system and cause coughing.
delayed	
Indication of Immediate	Provide general supportive measures and treat symptomatically.
medical attention and special	
treatment needed	
General information	Ensure that medical personnel are aware of the material(s) involved.

Section 5. Fire and Explosion Hazard Data

Flash PointNon-combustible.Auto IgnitionNot applicable.Flammable limitNot applicable.

Fire Extinguishing Media

Use extinguishing media appropriate for surrounding fire.

Special Fire-fighting Procedures

Wear proper personal protective equipment as listed in Section 8.

Hazardous combustion procedures

Explosion Hazards

Not applicable
None known.

Section 6. Accidental Release Measures

Methods and materials for containment

and cleaning up

Remove by dry sweeping or vacuum. Avoid creating excessive dust. It is recommended that gloves and a mask be worn while cleaning the spill. If already mixed with water,

scrape up and place in container. Wear appropriate protective equipment as described in

Sections 7 & 8.

Environmental Precautions Dispose of material in accordance with all applicable federal, state, and local regulations.

Can be disposed as an inert solid in a landfill.

SDS ID: ACG 2006 Revision date: 2/13/25 Page 2 of 5



Section 7. Handling and Storage

Precautions for safe handling

Avoid contact with skin and eyes. Do not breathe dust. Use only in well ventilated areas. A NIOSH approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. When using, do not eat or drink. Wash hands before eating, drinking or smoking.

Conditions for safe storage, including an incompatibilities Store in a cool dry well ventilated area.

Section 8. Exposure Controls/Personal Protection

Occupational exposure limits

US. OSHA table Z-1 Limits for Air Contaminants (29 CFR 1910.1000

Components	Type	Value	Form	
Gypsum, Anhydrite or Gypsum/Anhydrite Blend	PEL	15 mg/m3	Respirable.	
Crystalline Silica	TWA	5 mg/m3	Respirable.	

US. ACGIH Threshold Limit Values

Components	Type	Value	Form	
Gypsum, Anhydrite or Gypsum/Anhydrite Blend	TWA	5 mg/m3	Inhalable fraction.	_
Crystalline Silica	TWA	0.025 mg/m3	Respirable.	

US. NIOSH: Pocket Guide to Chemical Hazards

Components	Type	Value	Form	
Gypsum, Anhydrite or Gypsum/Anhydrite Blend	TWA	10 mg/m3	Respirable	
Crystalline Silica	TWA	0.05 mg/m3	Respirable	

Engineering Controls

Respiratory protection

Ventilate to keep exposures below TLV requirements of the individual ingredients. General ventilation is expected to be satisfactory. Use local exhaust ventilation if necessary to control dust. one required where adequate ventilation conditions exist. A NIOSH approved dust mask or filtering face piece is recommended in poorly ventilated areas or when permissible exposure limits may be exceeded. Consult with respirator manufacturer to determine respirator selection, use, and limitations.

	Section 9. Physical and Chemical Properties	
Appearance	White	
Physical state	Powder/Solid	
Melting Point	Not applicable.	
Freezing Point	Not applicable.	
Odor	Low	
Odor threshold	Not determined.	
Flash point	Non-combustible.	
Flammability limits	Not applicable.	
Solubility (in water) (g/100g)	<0.4	
Initial boiling point	Not applicable	
Boiling Range	Not applicable.	
Specific gravity	2.3-2.7	
pН	Not applicable	
Vapor pressure	Not applicable.	
Vapor density	Not applicable.	
Auto-ignition temperature	None.	
Evaporation rate	Not applicable.	
SDS ID: ACG 2006	Revision date: 2/13/25	Page 3 of 5



ViscosityNot applicable.Upper flammability limitNot determined.Lower flammability limitNot determined.Decomposition tempNot applicable.

Section 10. Chemical Stability and Reactivity

Conditions of reactivity Reacts with water and produces large amounts of heat (normal condition of use).

Chemical stability Stable at normal storage conditions and temperature.

Conditions to avoid
Hazardous decomposition products
Hazardous polymerization

Not applicable.
Not applicable.
Will not occur

Section 11. Toxicological Information

Information on likely routes of exposure

Acute effects No known acute toxicological effects

Chronic effects

Crystalline silica: Exposures to respirable crystalline silica are not expected during the

normal use of this product; however, levels must be determined by in-house workplace

hygiene testing.

Section 12. Ecological Information

EcotoxicityThe material shows no bioaccumulation or food chain concentration toxicity potential.

Section 13 Disposal Considerations

Disposal procedure Dispose of product and packaging material in accordance with all applicable federal, state,

and local regulation. Can be disposed as an inert solid in a landfill. Slurry may plug drains.

Do not dispose of directly in waterways or sewers. Recycle responsibly.

Section 14. Transport Information

Department of Transportation (DOT)

Requirements

This product is not regulated as a hazardous material by the United States (DOT)

transportation regulations.

Canadian Transportation of

dangerous goods

Not regulated as dangerous goods.

UN# None, Not regulated as dangerous goods.

ADNR None.

RID/ADR: Not classified.

Environmental hazards None.

Annex II of MARPOL 73/78 Not applicable

International bulk chemical code Not applicable

Section 15 Regulatory Information

U.S. EPA's Toxic Substance Control Act Chemical Substance Inventory Not listed as reportable quantity or regulated quantity in SARA Title III Sections 302, 304, and 313. CAA Section 112® Regulated Chemicals for Accidental Release Prevention,

CERLA Hazardous Substances, and RCRA Hazardous Waste.

Canadian Controlled Product

Regulations

Crystalline Silica: IDL* Item #1406 Classification: D2A.

SDS ID: ACG 2006 Revision date: 2/13/25 Page 4 of 5



European Union Directive 67/548/EEC (Annex III and IV)

R36, R37, R38, S37, S3, S39, and S51.

*IDL Item: Canadian Hazardous Product Act Ingredient Disclosure List

** WHMIS: Workplace Hazardous Safety Information System

Section16 Other Information

16. Other Information, including date of preparation or last revision

Issue date 11-April 2016 Revision date: February 13, 2025

Further information NFPA Ratings

Health: 1 Flammability: 0 Physical hazard: 0

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe

NFPA ratings



Disclaimer

This information is provided without warranty. The information is believed to be correct. This information should be used to make an independent determination of the methods to safeguard workers and the environment.

SDS ID: ACG 2006 Revision date: 2/13/25 Page 5 of 5